Effect of Complex Training on Selected Physical Fitness Variables among Football Players Dr. A. Sankar

Director of Physical Education Kongu Arts and Science College, Erode (Tamilnadu) India

Abstract

The purpose of the study was to find out the effect of complex training on selected physical fitness variables among football players. To achieve this purpose, thirty male football players were selected as subjects, their aged between 18 to 25 years, they are studying in the Kongu Arts and Science College, Erode, Tamil Nadu. The selected subjects were divided into two equal groups of fifteen subjects each, namely Complex training group and control group. The complex training group trained for three sets per exercise per session at 60 to 80% with a progressive increase in load with the number of weeks. Strength endurance and agility were selected as criterion variables and they were tested by using sit-ups and shuttle run respectively. ANCOVA was used to find out the significant difference if any between the groups. The results of the study showed that there was a significant difference on strength endurance and agility between complex training group and control group.

Key Words: Complex training, physical fitness, strength endurance, agility

Introduction:

Physical fitness is one of the components of the total fitness of the individual, which also includes mutual, social and emotional fitness. It is one of the basic requirements of life broadly speaking it means the ability to carry out daily tasks without under fatigue.

Strength endurance is required in all sports movement, whether fast or slow, movements have to be done under lesser or higher conditions of fatigue. Agility is a combination of several athletic traits such as strength, reaction time, speed of movement, power and co-ordination. It's display becomes essential in such movements as dodging, zigzag running, stopping and starting and changing body positions quickly.

Complex is a method of developing explosive power, an important component of the athletic performance as Complex movements are performed in a wide spectrum of sports. In football, it can be played more skillfully when players have the power that combines with strength and speed to develop explosive power for participating in various sports activities. The Complex exercises improve significantly in developing physical fitness variables of football players.

Methodology:

The purpose of the study was to find out the effect of Complex training on selected physical fitness variables such as strength endurance and agility among college men football players. To achieve this, thirty male football players are studying in the Kongu Arts and Science College, Erode, Tamil Nadu in the age group of 18 to 25 years were selected as subjects at random. The selected subjects were divided into two equal groups of fifteen subjects each namely Complex training group and control group. The selected criterion variables such as strength endurance and agility were assessed using standard tests and procedures, before (pre test) and after (post test) training regimen for both experimental and control groups by using sit-ups and shuttle run respectively.

Author: Dr. A. Sankar

The selected subjects had undergone the Complex training for eight weeks, with three days per week in alternate days. After 10 to 15 minutes of warm-up the subjects underwent their respective Complex training programme and the subjects performed Complex exercises. The control group did not participate in any specialized training during the period of study.

EXPERIMENTAL

DESIGN AND

STATISTICAL PROCEDURE

The experimental design used for the present was random group investigation design involving 30 subjects for training effect. Analysis of Covariance (ANCOVA) was used as a statistical technique to determine the significant difference, if any, existing between pretest and posttest data on selected dependent variables separately and presented in Table-I.

TABLE - I

Variables	Test		Complex Training Group	Control Group	Source of Variance	SS	df	Mean Square	"F" Ratio
Strength Endurance	Pre test	Mean	47.00	47.27	Between	0.533	1	0.533	0.112
		S.D	1.93	2.40	Within	132.92	28	4.75	
	Post test	Mean	52.92	47.52	Between	218.700	1	218.7	48.344
		S.D	2.16	2.10	Within	126.67	28	4.53	
	Adjusted	Mean	52.94	47.52	Between	233.785	1	233.785	112.55
	Post test				Within	56.081	27	2.077	
Agility	Pre test	Mean	10.93	10.99	Between	0.033	1	0.033	0.742
		S.D	0.252	0.162	Within	1.259	28	0.04495	
	Post test	Mean	10.73	10.96	Between	0.385	1	0.385	22.049
		S.D	0.123	0.141	Within	0.489	28	0.0175	
	Adjusted	Mean	10.73	10.96	Between	0.336	1	0.336	20.307
	Post test				Within	0.446	27	0.01653	

Significance value 0.05 level

The post test mean of complex training group and control group on strength endurance (52.92 \square 2.16 Vs 47.52 \square 2.10) resulted in a F'ratio of 48.344. The adjusted posttest mean of complex training group and control group on strength endurance (52.94 Vs 47.52) resulted in a _F'ratio of 112.55. The results of the study indicate that there was a significant difference

between complex training group and control group on strength endurance.

The posttest mean of complex training group and control group on agility (10.73 □ 0.123 Vs $10.96 \square 0.141$) resulted in a F'ratio of 22.049. The adjusted posttest mean of complex training group and control group on agility (10.73 Vs

Author: Dr. A. Sankar

10.96) resulted in a _F'ratio of 20.307. The results of the study indicate that there was a

significant difference between complex training group and control group on agility

FIGURE –01
ADJUSTED MEAN VALUES OF STRENGTH ENDURANCE OF EXPERIMENTAL GROUP
AND CONTROL GROUP





FIGURE –02
ADJUSTED MEAN VALUES OF AGILITY OF EXPERIMENTAL GROUP AND CONTROL GROUP



CONCLUSION

Based on the results of the study, it was concluded that the complex training program has resulted in significant increase in selected physical fitness variables such as strength endurance and agility.

REFERENCES

Abraham, B. (2015). Comparative effects of selected motor components of school level basketball players on Plyometric, circuit training and circuit breaker programmes. International Online Multidisciplinary Journal Review of Research, 3 (7), 1-4.

Adams, K., O'Shea, J. P., O'Shea, K. L., & Climstein, M. (1992). The effect of six weeks of squat, Plyometric and squat-Plyometric training on power production. The Journal of Strength & Conditioning Research, 6 (1), 36-41.

Adibpour, N., Bakht, H. N., & Behpour, N. (2012). Comparison of the effect of Plyometric and weight training programs on vertical jumps in female basketball players. World Journal of Sport Sciences, 7 (2), 99-104.

Alam, S., Pahlavani, H. A., & Mehdipou, A. (2012). The effect of Plyometric circuit exercises on the physical preparation indices of elite handball player. Facta universitatis-series: Physical Education and Sport, 10 (2), 89 - 98.

Alptekin, A., Kılıç, Ö., & Maviş, M. (2013). The effect of an 8-week Plyometric training program on sprint and jumping performance. Serbian Journal of Sports Sciences, 7 (1-4), 45-50.

Alves, J. M. V. M., Rebelo, A. N., Abrantes, C., & Sampaio, J. (2010). Short-term effects of complex and contrast training in soccer players' vertical jump, sprint, and agility abilities. The Journal of Strength & Conditioning Research, 24 (4), 936-941.

Andrejić, O. (2012). The effects of a Plyometric and strength training program on the fitness performance in young basketball players. Facta universitatis-series: Physical Education and Sport, 10 (3), 221-229.

Arazi, H., & Asadi, A. (2011). The effect of aquatic and land Plyometric training on strength, sprint, and balance in young basketball players. Journal of Human Sports & Exercise, 6 (1), 101-111.

Asadi, A. (2013)a. Effects of in-season Plyometric training on sprint and balance performance in basketball players. Sport Science, 6 (1), 24-27.

Baker, D. (2003). Acute effect of alternating heavy and light resistances on power output during upper-body complex power training. The Journal of Strength & Conditioning Research, 17 (3), 493-497.

Bandyopadhyay, S., Mitra, S., & Gayen, A. (2013). Effects of Plyometric training and resistance training on specific speed of basketball players. Paripex - Indian Journal of Research, 2 (7), 249-251.

Bavli, O. (2012)a. Investigation the effects of combined plyometrics with basketball training on some biomotorical performance. Pamukkale Journal of Sport Sciences, 3 (2), 90-100.

Bavli, Ö. (2012)b. Comparison the effect of water plyometrics and land plyometrics on body mass index and biomotorical variables of adolescent basketball players. International Journal of Sport and Exercise Science, 4 (1), 11-14.

Author: Dr. A. Sankar